## PHYSICIAN'S REPORT—CHILD CARE CENTERS

(CHILD'S PRE-ADMISSION HEALTH EVALUATION)

PART A	A – PARENT'S	CONSENT (TO	BE COMPLETED	BY PARENT)	
ALAME OF OUR D	, born	(BIRTI	U DATE)	is being studied	for readiness to en
(NAME OF CHILD)					ada fua sa
(NAME OF CHILD CARE CENTER/SCHOOL	Inis	Child Care Center	r/School provides a	a program which exter	nas from:
a.m./p.m. to a.m./p.m. ,	days a week.				
Please provide a report on above-name report to the above-named Child Care C		orm below. I hereby	y authorize releaso	e of medical informat	ion contained in this
	(SIGNATURE OF PARENT, GUARDIAN, OR CHILD'S AUTHORIZED REPRESENTATIVE) (TODAY'S DATE)				
PART B -	- PHYSICIAN'S	REPORT (TO I	BE COMPLETED	BY PHYSICIAN)	
Problems of which you should be aware:					
Hearing:		All	ergies: medicine:		
Vision:		Ins	sect stings:		
Developmental:		Fo	od:		
Language/Speech:		As	thma:		
Dental:					
Other (Include behavioral concerns):					
Comments/Explanations:					
IMMUNIZATION HISTORY: (Fil	l out or enclose		munization Re	•	
VACCINE	1st 2nd		3rd	4th	5th
POLIO (OPV OR IPV)	/ /	/ /	/ /	/ /	/ /
DTP/DTaP/ (DIPHTHERIA, TETANUS AND [ACELLULAR] PERTUSSIS OR TETANUS AND DIPHTHERIA ONLY)	/ /	/ /	/ /	/ /	/ /
MMR (MEASLES, MUMPS, AND RUBELLA)	/ /	/ /			
(REQUIRED FOR CHILD CARE ONLY) HIB MENINGITIS (HAEMOPHILUS B)	/ /	/ /	/ /	/ /	
HEPATITIS B	/ /	/ /	/ /		
VARICELLA (CHICKENPOX)	/ /	/ /			
SCREENING OF TB RISK FACTOR  Risk factors not present; TB s  Risk factors present; Mantoux previous positive skin test doc Communicable TB diseas	skin test not require TB skin test perfocumented).	ed.			
I have ☐ have not ☐	•	above information v	with the parent/gua	rdian.	

LIC 701 (8/08) (Confidential) PAGE 1 OF 2

#### **RISK FACTORS FOR TB IN CHILDREN:**

- \* Have a family member or contacts with a history of confirmed or suspected TB.
- \* Are in foreign-born families and from high-prevalence countries (Asia, Africa, Central and South America).
- \* Live in out-of-home placements.
- \* Have, or are suspected to have, HIV infection.
- Live with an adult with HIV seropositivity.
- \* Live with an adult who has been incarcerated in the last five years.
- \* Live among, or are frequently exposed to, individuals who are homeless, migrant farm workers, users of street drugs, or residents in nursing homes.
- \* Have abnormalities on chest X-ray suggestive of TB.
- Have clinical evidence of TB.

Consult with your local health department's TB control program on any aspects of TB prevention and treatment.

LIC 701 (8/08) (Confidential) PAGE 2 of 2

# **Pre-Kindergarten**



(any private or public child care center, day nursery, nursery school, family day care home, or development center)

#### Doses required by age when admitted and at each age checkpoint after entry<sup>1</sup>:

Age When Admitted	Total Num	ber of Doses Req	uired of Each Im	munization	2,3
2 through 3 months	1 Polio	1 DTaP	1 Hep B	1 Hib	
4 through 5 months	2 Polio	2 DTaP	2 Hep B	2 Hib	
6 through 14 months	2 Polio	3 DTaP	2 Hep B	2 Hib	
15 through 17 months	3 Polio	3 DTaP	2 Hep B		1 Varicella
		On or after the	1st birthday:	1 Hib⁴	1 MMR
18 months through 5 years	3 Polio	4 DTaP	3 Hep B		1 Varicella
		On or after the	1st birthday:	1 Hib⁴	1 MMR

- 1. A pupil's parent or guardian must provide documentation of a pupil's proof of immunization to the governing authority no more than 30 days after a pupil becomes subject to any additional requirement(s) based on age, as indicated in the table above (Table A).
- 2. Combination vaccines (e.g., MMRV) meet the requirements for individual component vaccines. Doses of DTP count towards the DTaP requirement
- 3. Any vaccine administered four or fewer days prior to the minimum required age is valid.

4. One Hib dose must be given on or after the first birthday regardless of previous doses. Required only for children who have not reached the age of five years.

DTaP = <u>diphtheria toxoid</u>, <u>tetanus toxoid</u>, and acellular <u>pertussis</u> vaccine

Hib = <u>Haemophilus influenzae</u>, type <u>B</u> vaccine Hep B = <u>hepatitis B</u> vaccine

MMR = <u>measles</u>, <u>mumps</u>, and <u>rubella</u> vaccine Varicella = chickenpox vaccine

### Instructions:

California pre-kindergarten (child care or preschool) facilities are required to check immunizations for all new admissions and at each age checkpoint.

**Unconditionally Admit** a pupil age 18 months or older whose parent or guardian has provided documentation of any of the following for each immunization required for the pupil's age as defined in the table above:

- Receipt of immunization.
- A permanent medical exemption.\*

## **Conditional Admission Schedule for Pre-Kindergarten**

Before admission a child must obtain the first dose of each required vaccine and any subsequent doses that are due because the period of time allowed before exclusion has elapsed.

Dose	Earliest Dose May Be Given	Exclude If Not Given By		
Polio #2	4 weeks after 1st dose	8 weeks after 1st dose		
Polio #3	4 weeks after 2nd dose	12 months after 2nd dose		
DTaP #2, #3	4 weeks after previous dose	8 weeks after previous dose		
DTaP #4	6 months after 3rd dose	12 months after 3rd dose		
Hib #2	4 weeks after 1st dose	8 weeks after 1st dose		
Hep B #2	4 weeks after 1st dose	8 weeks after 1st dose		
Нер В #3	8 weeks after 2nd dose and at least 4 months after 1st dose	12 months after 2nd dose		

**Conditionally Admit** any pupil who lacks documentation for unconditional admission if the pupil:

- has commenced receiving doses of all the vaccines required for the pupil's age (table on page 1)
  and is not currently due for any doses at the time of admission (as determined by intervals listed in
  the Conditional Admission Schedule, column entitled "EXCLUDE IF NOT GIVEN BY"), or
- is younger than 18 months and has received all the immunizations required for the pupil's age (table on page 1) but will require additional vaccine doses at an older age (i.e., at next age checkpoint), or
- has a temporary medical exemption from some or all required immunizations.\*

**Continued attendance** after conditional admission is contingent upon documentation of receipt of the remaining required immunizations. The pre-kindergarten facility shall notify the pupil's parent or guardian of the date by which the pupil must complete all remaining doses.

Questions?

See the California
Immunization Handbook
at ShotsForSchool.org

<sup>\*</sup>In accordance with 17 CCR sections 6050-6051 and Health and Safety Code sections 120370-120372.